

Day: Monday Date: 10/28/2002 Time: 16:11:46

## Continuity Information for 09/545334

**Parent Data** 

09545334

Claims Priority from Provisional Application 60129844

Child Data
No Child Data

Appln Info Contents Petition Info Atty/Ager	ot Info Continuity Data	Foreign Data	Invento
Search Another: Application# Search	or Patent#	Search	
PCT / Search	or PG PUBS #	S	earch
Attorney Docket #	Sea	arch	

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

```
Luventor
Sach
 ? e au=habben jeffrey
 Ref
      Items Index-term
 E1
          1 AU=HABBEN JEFF
 E2
          1 AU=HABBEN JEFFEY E
          0 *AU=HABBEN JEFFREY
 E3
 E4
         18 AU=HABBEN JEFFREY E
E5
         15 AU=HABBEN K
E6
         5 AU=HABBEN K H
E7
         5 AU=HABBEN KAI
E8
         2 AU=HABBEN KH
E9
         1 AU=HABBEN S
E10
         3 AU=HABBEN SASKIA
E11
         1 AU=HABBEN. J. E
E12
         4 AU=HABBEN-JANSEN M
          Enter P or PAGE for more
? s e1-e4
>>>One or more prefixes are unsupported
>>> or undefined in one or more files.
               1 AU=HABBEN JEFF
               1 AU=HABBEN JEFFEY E
               0 AU=HABBEN JEFFREY
              18 AU=HABBEN JEFFREY E
              20 E1-E4
      S6
? s s6 and (cytokinin or ipt)
              20 S6
           26810 CYTOKININ
            2348
                 IPT
      S7
               1 S6 AND (CYTOKININ OR IPT)
? t s7/3,ab/all
>>>No matching display code(s) found in file(s): 65, 235, 306
 7/3, AB/1
              (Item 1 from file: 5)
DIALOG(R)File
              5:Biosis Previews(R)
(c) 2002 BIOSIS. All rts. reserv.
13094984
          BIOSIS NO.: 200100302133
A maize cytokinin gene encoding an O-glucosyltransferase specific to
  cis-zeatin.
AUTHOR: Martin Ruth C; Mok Machteld C; Habben Jeffrey E; Mok David W
AUTHOR ADDRESS: (a) Department of Horticulture, Oregon State University,
  Agriculture and Life Sciences 4017, Corvallis, OR, 97331-7304:
  mokd@bcc.orst.edu**USA
JOURNAL: Proceedings of the National Academy of Sciences of the United
States of America 98 (10):p5922-5926 May 8, 2001
MEDIUM: print
```

DOCUMENT TYPE: Article
RECORD TYPE: Abstract
LANGUAGE: English
SUMMARY LANGUAGE: English

ISSN: 0027-8424

ABSTRACT: Zeatin is a naturally occurring cytokinin. Biosynthesis and metabolism studies of zeatin have been directed mostly at the trans isomer, although cis-zeatin and its riboside occur as major components in some plant species. It is not known whether parallel regulatory pathways exist for the two isomers. Based on the sequence of the gene ZOG1 encoding a trans-zeatin O-glucosyl-transferase from Phaseolus (EC 2.4.1.203), a cis-zeatin-specific O-glucosyltransferase was isolated from maize. This gene, cisZOG1, contains an ORF of 1,401 nucleotides encoding a protein of 51.1 kDa with 41% identity to the Phaseolus ZOG1 protein. Unexpectedly, the maize enzyme recognizes as substrates cis-zeatin and

UDP-glucose but not cis-ribosylzeatin, trans-zeatin, or trans-ribosylzeatin. This finding indicates the existence of cis-specific regulatory elements in plants and suggests that cis-zeatin and derivatives may be more important in **cytokinin** homeostasis than currently recognized.

## 2001

? e au=zinselmeier christopher

```
Items Index-term
Ref
         14 AU=ZINSELMEIER C
E1
          2 AU=ZINSELMEIER CHRIS
E2
          1 *AU=ZINSELMEIER CHRISTOPHER
E3
          2 AU=ZINSELMEIER, C
E4
         14 AU=ZINSELMEIER, C.
1 AU=ZINSELMEIER, C. M.
E5
E6
          3 AU=ZINSELMEIER, CHRIS
1 AU=ZINSELMEIER, CHRISTOPHER
E7
E8
E9
          1 AU=ZINSELMEIER, CHRISTOPHER M.
          3 AU=ZINSELMEYER BERND H
E10
          3 AU=ZINSELMEYER BH
E11
E12
          1 AU=ZINSELMEYER, B. H.
          Enter P or PAGE for more
? s e1-e9
>>>One or more prefixes are unsupported
>>> or undefined in one or more files.
              14 AU=ZINSELMEIER C
               2 AU=ZINSELMEIER CHRIS
               1 AU=ZINSELMEIER CHRISTOPHER
               2 AU=ZINSELMEIER, C
              14 AU=ZINSELMEIER, C.
               1 AU=ZINSELMEIER, C. M.
               3 AU=ZINSELMEIER, CHRIS
               1 AU=ZINSELMEIER, CHRISTOPHER
               1 AU=ZINSELMEIER, CHRISTOPHER M.
      S8
              39 E1-E9
? s s8 and (cytokinin or ipt)
              39 S8
           26810 CYTOKININ
            2348 IPT
      S9
               1 S8 AND (CYTOKININ OR IPT)
? t s9/3,ab/all
>>>No matching display code(s) found in file(s): 65, 235, 306
 9/3.AB/1
              (Item 1 from file: 357)
DIALOG(R) File 357: Derwent Biotech Res.
(c) 2002 Thomson Derwent & ISI. All rts. reserv.
0262720 DBR Accession No.: 2001-02296
                                           PATENT
Novel recombinant DNA construct useful for producing transgenic plants
    having enhanced levels of cytokinin expression, improved stress
    tolerance and yield stability - vector-mediated
    tRNA-isopentenyltransferase gene transfer, expression in maize
    transgenic plant, DNA probe, enzyme-inhibitor and antibody for improved
    stress tolerance and yield stability
AUTHOR: Habben J E; Zinselmeier C;
CORPORATE SOURCE: Des Moines, IA, USA.
PATENT ASSIGNEE: Pioneer-Hi-Bred-Int. 2000
PATENT NUMBER: WO 200063401 PATENT DATE: 20001026 WPI ACCESSION NO.:
                (2065)
    2000-672743
PRIORITY APPLIC. NO.: US 129844 APPLIC. DATE: 19990416
NATIONAL APPLIC. NO.: WO 2000US9943 APPLIC. DATE: 20000413
LANGUAGE: English
```

ABSTRACT: An isolated recombinant DNA (I), containing a genetic construct that has a promoter directing temporal and/or spatial gene expression in plant seed operatively linked to a cytokinin-modulating gene (e.g. tRNA-isopentenyltransferase, EC-2.5.1.8), is claimed. Also claimed are: host plant cells (e.g. maize (Zea mays)) having stably introduced (I); and a fertile transgenic plant containing (I). (I) is useful for producing fertile, transgenic plants capable of the regulated expression of a cytokinin-modulating gene in developing seeds by introducing (I) into plant host cells, by electroporation, glycol-poration, particle bombardment, silicon fiber polyethylene delivery, microinjection or Agrobacterium sp.-mediated transformation. (I) is also useful for improving stress tolerance and yield stability in plants. The preferential expression of (I) occurs about 14-25 or 4-21, preferably 8-12 days, after pollination. Also disclosed are: a DNA (II) encoding cytokinin metabolic enzymes; protein (III) with the enzyme activity; preparation of (III); inhibitor of (III); an antibody; a DNA probe; a vector containing (II); screening for enzyme-inhibitors. (75pp)

? e au=tomes dwight

```
Items Index-term
Ref
E1
        34 AU=TOMES DT
E2
         1 AU=TOMES DW
E3
         2 *AU=TOMES DWIGHT
E4
         7 AU=TOMES DWIGHT T
E5
         5 AU=TOMES E K
E6
         5 AU=TOMES F
E7
         3 AU=TOMES G
E8
         4 AU=TOMES G J
E9
         1 AU=TOMES GJ
E10
         2 AU=TOMES H
E11
         1 AU=TOMES HENRY
         6 AU=TOMES J
E12
```

## Enter P or PAGE for more

```
? s e1-e4
```

>>>One or more prefixes are unsupported >>> or undefined in one or more files.

34 AU=TOMES DT

1 AU=TOMES DW

2 AU=TOMES DWIGHT

7 AU=TOMES DWIGHT T

S10 44 E1-E4

? s s10 and (cytokinin or ipt)

44 S10

26810 CYTOKININ 2348 IPT

0 S10 AND (CYTOKININ OR IPT) S11